

COMPANY PROFILE



'RIDER BIKES PVT LTD.' has mastered the art of manufacturing bicycle components for over 5 decades. It provides the most reliable and affordable products of high quality and workmanship which match the international standards. There is a well established infrastructure to produce various bicycle parts and auto parts inside our well - integrated workshops covering an area of 50000 sq. ft. The roots of our company lie in the soil of 'BHARAT WIRES LTD.' which was founded under the expertise of 'Mr. Surinder Kumar Aggarwal' in the year 1969 in ludhiana. Ever since its inception we have followed our basic policy of maintaining Hi - Tech Quality coupled with economic price factors. At present, we have a product line which includes B.B Axles, B.B Cups, BB Cartridges, Auto Parts Cold Forged and CNC Turned for Bajaj Auto as Tier III supplier. Each passing year has been a source of inspiration and has boost our confidence. Gradually we have gained goodwill besides respectability and acceptability of our products amongst leading makers of bicycle in India namely Hero Cycles, Hero Ecotech, Ti Cycles Ltd, and Heat Treatment and Bright Zinc Process for Maruti Suzuki Ltd, Hero Motocorp Ltd, Honda Motor Company Ltd as Tier II supplier. We have facilities as follows: 1) Cold Forging Knuckle Joint Presses 400 Tons each – 5 Nos. 2) Power Presses ranging from 10 tons till 150 Tons – 15 Nos. 3) CNC Centreless Grinder – 1 nos 4) CNC Turning Machines – 2 Nos 5) CNC Threading and Drilling SPMs – 2 Nos. 6) Cold Forging Headers – 2 Nos. 7) Tool Room consists of High Speed lathes, Shapers etc. 8) Standard Room with all types of Gauges and Inspection Equipment. 9) Heat treatment Section consists of a) 1 Annealing furnace of 2 Tons Capacity, b) 2 Rotary Furnaces with Case Carburising Facility, c) 1 Continuous Sealed Quench Furnace from Benco Kohnle German make. 10) Zinc Plating Plant with Automatic Glydo 11) Nickel Plating plant 12) Autoblack plant 13) Phosphating plant 14) Manganese Phosphate 15) Vibrators – 2 Nos.

We are in process of getting certified by ISO – 9001 and IATF 16949/2016. We also believe in self-inspection to maintain quality and production standards such as CQI9 and CQI11. We are starting this process in the first week of March and aiming to complete the process by September 2020. Our heartiest thanks to those of our clients who have contributed towards our progress and those of you who may join us anew. We assure you of our best and prompt attention in every respect. We continue to exert our energies for improving the quality and workmanship of our products. Any suggestions from our clients are most welcome for implementation as far as practicable and feasible. Through our dedicated staff, product quality and commitment to meeting the deadlines we look forward to global recognition.

COMPANY PROFILE

FULL CARTRIDGE 119MM FOR MTB/BMX BICYCLES

- » 66MM BB Shell.
- » Multi-Speed Chainwheel
- » 24 TPI/BSC Thread Size
- » Shaft Size 119mm(Cotterless)
- » 24"& 26" Frame Size





FULL CARTRIDGE 122MM FOR MTB/BMX BICYCLES

- » 68MM BB Shell.
- » Multi-Speed Chainwheel
- » 24 TPI/BSC Thread Size
- » Shaft Size 122mm(Cotterless)
- **»** 24"& 26" Frame Size





FULL CARTRIDGE 128MM FOR MTB/BMX BICYCLES

- » 66MM BB Shell.
- » Single-Speed Chainwheel
- » 24 TPI/BSC Thread Size
- » Shaft Size 128mm(Cotterless)
- » 20",24" & 26" Frame Size
- » Tire size 26X1.75/2.25/2.35/2.40





FULL CARTRIDGE 133MM FOR MTB/BMX BICYCLES

- » Single-Speed Chainwheel & Multi-Speed Chainwheel.
- » 24 TPI/BSC Thread Size.
- » Shaft Size 133mm(Cotterless).
- **»** 24" & 26" Frame Size.
- **»** Tire size 26X3.0.





FULL CARTRIDGE 137MM FOR MTB/BMX BICYCLES

- » Single-Speed Chainwheel & Multi-Speed Chainwheel.
- » 24 TPI/BSC Thread Size.
- » Shaft Size 137mm(Cotterless).
- **»** 24" & 26" Frame Size.
- **»** Tire size 26X3.0.





FULL CARTRIDGE 137MM SPECIALLY DESIGNED FOR E-BIKES

- » Single-Speed Chainwheel & Multi-Speed Chainwheel.
- » 24 TPI/BSC Thread Size.
- » Shaft Size 137mm(Cotterless).
- » 24" & 26" Frame Size.
- **»** Tire size 26X3.0.
- » BB Shell size 73mm





FULL CARTRIDGE 175MM SEPCIALLY DESIGNED FOR FAT BIKES

- » Single-Speed Chainwheel & Multi-Speed Chainwheel.
- » 24 TPI/BSC Thread Size.
- » BB Shell Size 120mm.
- » Shaft Size 175 mm(Cotterless).
- **»** 24",26"& 29" Frame Size.







FULL CARTRIDGE 175MM SEPCIALLY DESIGNED FOR E-BIKES

- » Single-Speed Chainwheel & Multi-Speed Chainwheel.
- » 24 TPI/BSC Thread Size.
- » BB Shell Size 110mm.
- » Shaft Size 175 mm(Cotterless).
- **»** 24",26"& 29" Frame Size.







FULL CARTRIDGE BP47 WITH SLEEVE FOR STD/PH BICYCLES

- » Suitable for Bicycles & Rickshaw.
- » 24 TPI/BSC Thread Size.
- » Shaft Length 140 mm(Cottered).
- » BB Shell Size 68mm.
- » Single-Speed Chain wheel.
- **»** Tire Size 28X1.5.
- » Frame Size 22"





FULL CARTRIDGE BP47 WITHOUT SLEEVE SPECIALLY DESIGNED FOR RIKSHAW » Suitable for Bicycles & Rickshaw. » 24 TPI/BSC Thread Size. Rider Bikes Pvt. Ltd. » Shaft Length 140 mm(Cottered). » BB Shell Size 68mm. » Single-Speed Chain wheel. **»** Tire Size 28X1.5. » Frame Size 22"

FULL CARTRIDGE MTB 148 FOR MTB/BMX BICYCLES


- » 24 TPI/BSC Thread Size.
- » Shaft Length 148 mm(Cottered).
- » BB Shell Size 68mm.
- » Single-Speed & Multi-Speed Chain wheel.
- **»** Frame Size 24" & 26"





FULL CARTRIDGE MTB 152 WITH SPLINE CUPS FOR MTB/BMX BYCYCLES

- » 24 TPI/BSC Thread Size.
- » Shaft Length 152 mm (Cottered).
- » BB Shell Size 66 mm.
- » Single-Speed & Multi-Speed Chain wheel.







FULL CARTRIDGE RALIEGH A8 FOR RALIEGH BICYCLES

- » 24 TPI/BSC Thread Size.
- » Shaft Length 149 mm (Cottered).
- » BB Shell Size 62 mm.
- » Single-Speed & Multi-Speed Chain wheel.





FULL CARTRIDGE MTB 140 WITH PLASTIC SLEEVE

- » 24 TPI/BSC Thread Size.
- » Shaft Length 140 mm
- » BB Shell Size 66mm.
- » Single-Speed & Multi-Speed Chain wheel.
- **≫** Frame Size 24" & 26".





SEMI CARTRIDGE NUT TYPE 32-55-35/35-54-39 WITH PHILIP CUPS

» ALL MTB BIKES 66MM/68 SHELL SIZE





SEMI CARTRIDGE BOLT TYPE 35-55-39/35-57-39 WITH PHILIP CUPS

» ALL MTB BIKES 66MM/68 SHELL SIZE





SEMI CARTRIDGE NEW MTB LE WITH SPLINE CUPS FOR MTB/BMX BYCYCLES

- » 24 TPI/BSC Thread Size.
- » Shaft Length 152 mm(Cottered)
- » BB Shell Size 66 mm.
- » Single-Speed & Multi-Speed Chain wheel.
- **»** Frame Size 24" & 26"





RIDER BIKES PVT. LTD.

B-XXX-137/22, Village Pawa, Near Airport, G.T, Road, Ludhiana-141120 (Punjab) INDIA

:+91-161-2511160, +91-161-251162 :+91-7888399736, 7888399738, 9915872000

Email: vanit@riderbikes.in, arnav@riderbikes.in, sales@riderbikes.in, purchase@riderbikes.in

Visit Us at: www.riderbikes.in